





THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT P/N	DESCRIPTION	WEIGHT
CJ5E88T**	8 POSITION, 8 WIRE TERMINATION CAP IS COLOR CODED FOR EIA/TIA 568A AND/OR 568B WIRING	1.54 LB/100 PCS (700 g/100 PCS)



NOTES:

1. SEE CURRENT CATALOG FOR ADDITIONAL PART NUMBER SUFFIXES TO INDICATE PACKAGE QUANTITY.
2. MATERIAL:  
JACK HOUSING - ABS  
NOMINAL WALL THICKNESS .078(2.0)  
PRESERVATION CAP - PC
3. ALL MINI-JACK 8 POSITION, 8 WIRE CONNECTOR MODULES ARE UNIVERSAL IN DESIGN. THEY WILL ACCEPT TWO, THREE, OR FOUR PAIR MODULAR PLUGS WITHOUT DAMAGE.
4. THIS PART IS DESIGNED FOR USE WITH MINI-COM PLATES AND BOXES.
5. DIMENSIONS IN PARENTHESSES ARE IN METRIC.



PART NUMBER		CJ5E88T**	
TITLE			
MINI-JACK TX5E MODULAR JACK		CUSTOMER DRAWING	
ITEM REVISION NAME		M00366AD/02	
DATASET FILE NAME		M00366AD_DC22/02A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]		MATERIAL:	
.x ± .xx ± .03 (.8)		SEE NOTE 2	
.xxx ± .010 (.3)		DRAWING NUMBER:	
ANGLES ±		00366-22	
THIRD ANGLE PROJECTION		SHT 1 OF 1	
DRAWN BY	DATE	CHK	SCALE
JBA	5-12-99	CEF	FULL
REV	DATE	BY	CHK
3	6-23-14	MDJR	REFR
APR	DESCRIPTION		ECN
EJH	A. UPDATED TITLE BLOCK. ALL PREVIOUS REVISIONS REMOVED FOR CLARITY.		00366-22

D10100DA/14