12/9/2016 ECN-290955

DESIGNED & DIMENSIONED IN MILLIMETERS [INCHES]

NOTES:


- 1. CONNECTOR ENVELOPE DIMENSIONS. OTHER COMPONENTS PLACED ON PCB SHALL AVOID THIS ZONE.

Ø0.83[.033]

PTH (2 PLCS) (-L AND -EGP OPTIONS ONLY) TO BE SOLDERED USING **PASTE-IN-HOLE TECHNOLOGY**

> Ø 1.45 [.057 NPTH (2 PLCS)

2. THESE PLATED THROUGH HOLES AND STENCIL APERTURES NOT REQUIRED FOR ERM8-010-09.0-X-DV-EGPS.




ALL OPTIONS EXCEPT - EGPS (-030 POSITION SHOWN) (ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE)

0.500 [.0197]

(TYP)

TABLE 1 "A" "B" "C" **POSITION** 6.80 [.268] -005 3.20 [.126] 10.00 [.394] -010 7.20 [.283] 10.80 [.425] 14.00 [.551] -011 11.60 [.457] 14.80 [.583] 8.00 [.315] -013 9.60 [.378] 13.20 [.520] 16.40 [.646] -020 15.20 [598] 18.80 [.740] 22.00 [.866] -025 19.20 [.756] 22.80 [.898] 26.00 [1.024] -030 23.20 [.913] 26.80 [1.055] 30.00 [1.181] -035 27.20 [1.071] 30.80 [1.213] 34.00 [1.339] -040 31.20 [1.228] 34.80 [1.370] 38.00 [1.496] -049 42.00 [1.654] 45.20 [1.780] 38.40 [1.512] -050 39.20 [1.543] 42.80 [1.685] 46.00 [1.811] -060 47.20 [1.858] 50.80 [2.000] 54.00 [2.126] -070 55.20 [2.173] 58.80 [2.315] 62.00 [2.441] -075 59.20 [2.331] 62.80 [2.472] 66.00 [2.598] -100 79.20 [3.118] | 82.80 [3.260] | 86.00 [3.386]



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.



NOTE: STENCIL TO BE 0.15[.006] THICK.




FIG 2 (-030 POSITION SHOWN) (ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE)


DESIGNED & DIMENSIONED IN MILLIMETERS[INCHES]

TABLE 2		
POSITION	"A"	"C"
-005	3.20 [.126]	10.00 [.394]
-010	7.20 [.283]	14.00 [.551]
-011	8.00 [.315]	14.80 [.583]
-013	9.60 [.378]	16.40 [.646]
-020	15.20 [598]	22.00 [.866]
-025	19.20 [.756]	26.00 [1.024]
-030	23.20 [.913]	30.00 [1.181]
-035	27.20 [1.081]	34.00 [1.339]
-040	31.20 [1.228]	38.00 [1.496]
-049	38.40 [1.512]	45.20 [1.780]
-050	39.20 [1.543]	46.00 [1.811]
-060	47.20 [1.858]	54.00 [2.126]
-070	55.20 [2.173]	62.00 [2.441]
-075	59.20 [2.331]	66.00 [2.598]
-100	79.20 [3.118]	86.00 [3.386]

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY 10 ASAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.






PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY DIPPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.



TABLE 3

NOTE: STENCIL TO BE 0.15[.006] THICK.



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC.

